



## THE COLUMBIAN VISE DIVISION

## WARREN TOOL CORPORATION

IN.	PART NO.	PART NAME	LIST
3"	503 <b>-</b> 41 pr.	Jaw Faces & Pins	\$29.15
	503 <b>-</b> 23	Screw & Handle	24.42
	503 <b>-</b> 25	Collar & Set Screw	4.20
	503-24	Screw Head Washer	2.63
	503-4	Main Vise Nut	11.03
	#30	Main Vise Nut	11.03
	603 <b>-</b> 3A	Swivel Base	40.95
	604-50	Center Bolt	6.05
	604-512	Lock Bolt & Nut	15.50
	503-1A	Front Jaw	73.50
	603-1A	Back Jaw	89.25
	414-3X	Swivel Base	37.94
3½"		Jaw Faces & Pins	30.45
32	503½-41 pr.	Screw & Handle	29.15
	503½-23	Collar & Set Screw	4.47
	503½-25	Screw Head Washer	3.15
	503½-24	Main Vise Nut	11.55
	503½-4	Main Vise Nut	11.55
	#35	Swivel Base	43.85
	603½-3A		6.05
	604-50	Center Bolt	15.50
	604-512	Lock Bolt & Nut	
	503½-1A	Front Jaw	91.88
	603½-2A	Back Jaw	105.00
	603-3A	Swivel Base	40.95
4"	504-41 pr.	Jaw Faces & Pins	34.13
	504 <b>-</b> 23	Screw & Handle	36.50
	504 <b>-</b> 25	Collar & Set Screw	5.00
	504-24	Screw Head Washer	3.68
	504 <b>-</b> 4	Main Vise Nut	13.13
	#41	Main Vise Nut	13.13
	604½-3	Swivel Base	50.67
	604-50	Center Bolt	6.05
	604-512	Lock Bolt & Nut	15.50
	504 <b>-l</b> A	Front Jaw	105.00
	604 <b>-</b> 2B	Back Jaw	115.50
	603½-3A	Swivel Base	43.85
41/2"	$504\frac{1}{2}-41 \text{ pr.}$	Jaw Faces & Pins	36.50
	504½ <b>-</b> 23	Screw & Handle	48.57
	504 <b>-</b> 25	Collar & Set Screw	5.00
	504-24	Screw Head Washer	3.68
	504-4	Main Vise Nut	13.13
	604½-3	Swivel Base	50.67
	604-50	Center Bolt	6.05
	604-512	Lock Bolt & Nut	15.50
	504½-1A	Front Jaw	136.50
	604½-2B	Back Jaw	144.38
5"	505-41 pr.	Jaw Faces & Pins	40.43
3	505 <b>-</b> 23	Screw & Handle	60.65
	505-25	Collar & Set Screw	6.05
	505 <b>-</b> 24	Screw Head Washer	5.00
	505-4	Main Vise Nut	18.38
	#50	Main Vise Nut	18.38
	605 <b>-</b> 3	Swivel Base	89.00
	605-50	Center Bolt	11.03
	605-512	Lock Bolt & Nut	27.05
	505 <b>-l</b> A	Front Jaw	173.25
	605 <b>-</b> 2B	Back Jaw	196.88

6"	506-41 pr.	Jaw Faces & Pins	\$63.00
• 1	the state of the s		Ψ 03 • 00
	506 <b>–</b> 23	Screw & Handle	97.13
	506 <b>-</b> 25	Collar & Set Screw	7.35
	506-24	Screw Head Washer	6.30
	506-4	Main Vise Nut	24.42
	#60	Main Vise Nut	24.42
	606-3	Swivel Base	113.40
	606 <b>-</b> 50	Center Bolt	14.70
	605-512	Lock Bolt & Nut	27.05
	506 <b>-1</b>	Front Jaw	280.88
	606-2A	Back Jaw	294.00
8"	508-41 pr.	Jaw Faces & Pins	144.38
	508-23	Screw & Handle	150.68
	508 <b>-</b> 25	Collar & Set Screw	22.05
	508-24	Screw Head Washer	12.87
	508-4	Main Vise Nut	60.38
	#80	Main Vise Nut	60.38
	608-3	Swivel Base	244.13
	608-50	Center Bolt	21.27
	605-512	Lock Bolt & Nut	27.05
	508-1	Front Jaw	675.00
	608-2	Back Jaw	761.25
	404½-1	Front Jaw	136.50
	404½-2	Back Jaw	304.50
	203½-1	Front Jaw	110.25
	203½-2A	Back Jaw	126.00
	203½-4	Main Vise Nut	11.55
	203½-46	Pipe Jaws (each)	11.55
	$204\frac{1}{2}-1$	Front Jaw	162.75
	204½-2	Back Jaw	181.13
	204½-46	Pipe Jaws (each)	16.28
	205-1	Front Jaw	262.50
	205-2A	Back Jaw	288.75
	205-23	Screw & Handle	80.85
	205-41 pr.	Jaw Faces & Pins	63.00
	205-46	Pipe Jaws (each)	27.30
	206-1	Front Jaw	441.00
	206-2A	Back Jaw	451.50
	206-3	Swivel Base	131.25
	206-23	Screw & Handle	121.28
	206-24	Screw Head	12.87
	206-25	Collar & Set Screw	11.55
	#70	Main Vise	36.75
	224 <sup>1</sup> <sub>2</sub> -1	Front Jaw	238.88
	224½-2	Back Jaw	220.50
	224½-23	Screw & Handle	48.57
	224½-41 pr.	Jaw Faces & Pins	45.42
15131	1513½-1	Front Jaw	72.18
1313 2	1513½-2	Back Jaw	34.38
	1513½-2 1513½-4	Main Vise Nut	7.14
	1513 <sup>1</sup> 2-21	Screw	7.70
	1513½-21 1513½-22	Handle	10.98
1515	1515 <sub>2</sub> -22 1515-1	Front Jaw	96.57
1515		Back	41.07
	1515 <b>-</b> 2 1515 <b>-</b> 4	Main Vise Nut	7.55
	TOTO-4	LIGITII ATPE MAC	, • 55

VISE			
NO.	PART NO.	PART NAME	LIST
1523 <sup>1</sup> չ	1523½-41 pr.	Jaw Faces & Pins	\$11.99
125	125-23	Screw & Handle	2.15
	125-41 pr.	Jaw Faces & Pins	11.34
1525	1525-41 pr.	Jaw Faces & Pins	16.68
D43½	D43½-41 pr.	Jaw Faces & Screws	8.01
2.02	D43½-23	Screw & Handle	7.62
	D43½-3A	Swivel Base	5.25
	D43½-1	Front Jaw	28.35
	D43½-2B	Back Jaw	25.73
	$D43\frac{1}{2}-4$	Main Vise Nut	5.00
мЗ	D43½-4B	Main Vise Nut	5.00
м4	D43½-4B	Main Vise Nut	5.00
	D43½-512	Lock Bolt & Nut	2.63
	D43½-512	Center Bolt	2.63
	D43½-30	Collar & Spring Clip	2.63
<del></del>		Jaw Faces & Screws	9.72
D44	D44-41 pr.	Screw & Handle	14.45
	D44-23		9.20
	D44-3	Swivel Base	40.17
	D44-1	Front Jaw	42.80
	D44-2	Back Jaw	6.57
	D44-4	Main Vise Nut	6.57
	D44-4B	Main Vise Nut	6.57
	D4X	Main Vise Nut	2.90
	D44-512	Lock Bolt & Nut	2.63
	D43½-50	Center Bolt	2.63
	D44-25	Collar & Spring Clip	14.18
D45	D45-41 pr.	Jaw Faces & Screws	18.38
	D45-23	Screw & Handle	12.35
	D45-3	Swivel Base	12.35
<u>M4</u>	D45-3A	Swivel Base	52.50
	D45-1	Front Jaw	55.92
	D45-2	Back Jaw	8.40
МЗ	D45-4B	Main Vise Nut	
M4	D45-4B	Main Vise Nut	8.40
	D44-512	Lock Bolt & Nut	2.90
	D45-4	Main Vise Nut	8.40
	D43½-50	Center Bolt	2.63
	D45-25	Collar & Spring Clip	2.63
D33½	$D43\frac{1}{2}-41 \text{ pr.}$	Jaw Faces & Screws	8.15
D63½	D33½-23	Screw & Handle	6.57
	D63-3	Swivel Base	4.73
	D33½-1	Front Jaw	26.25
*	D63½-1	Front Jaw	26.25
	D63½-2	Back Jaw	23.63
	D43½-512	Lock Bolt & Nut	2.63
	D63½-50	Center Bolt	2.63
	D63½-25	Collar & Spring Clip	2.63
03½	03½-41 pr.	Jaw Faces & Screws	5.00
	03½-23	Screw & Handle	6.05
	63 <b>-</b> 3	Swivel Base	4.73
	0312-1	Front Jaw	20.48
	03½-2	Back Jaw	18.65
	43½-512	Lock Bolt & Nut	2.63
	63½-50	Center Bolt	2.63
	03½-25	Collar & Spring Clip	2.63
	032-43	COLLAR a DELLING CLIP	

VISE			
NO	PART NO.	PART NAME	LIST
04	04-41 pr.	Jaw Faces & Screws	\$6.05
	33½-23	Screw & Handle	6.57
	43½-3A	Swivel Base	5.25
	04-1	Front Jaw	23.10
	04-2A	Back Jaw	20.48
	43½-512	Lock Bolt & Nut	2.63
	63½-50	Center Bolt	2.63
	03½-25	Collar & Spring Clip	2.63
414	D44-41 pr.	Jaw Faces & Screws	9.72
111	414-23	Screw & Handle	14.45
	414-3	Swivel Base	40.95
	D44-1	Front Jaw	40.17
	414-2	Back Jaw	42.80
	D44-4B	Main Vise Nut	6.57
	604 <b>-</b> 512	Lock Bolt & Nut	15.50
	43½-50	Center Bolt	2.63
	44-25	Collar & Spring Clip	2.63
415	D45-41 pr.	Jaw Faces & Screws	14.18
415	D45-41 pr.	Screw & Handle	18.38
	603-3A		43.85
		Swivel Base	
	D45-1	Front Jaw	52.50
	415 <b>-</b> 2	Back Jaw	55.92
	D45-4B	Main Vise Nut	8.40
	604-512	Lock Bolt & Nut	15.50
	43½-60	Center Bolt	2.63
700	D45-25	Collar & Spring Clip	2.63
7CD	V7-1	Front Jaw	70.62
V7CD	7RD-1	Front Jaw	70.62
	7R-2	Back Jaw	39.51
	<u>∨7-2</u>	Back Jaw	39.51
	7C84	Main Vise Nut	9.20
	7C-21	Main Screw	18.39
	7R-20	Screwhead & Rivet	9.20
	7R-22W 7R-22T	Wood Handle Tubular Steel Handle	4.20 9.20
	7CS -22	Adjustable Steel Hdle	32.30
1.0CD	7R-12	Drag Bar	3.15
10CD	10RD-1	Front Jaw	83.22
	10R <b>-</b> 2	Back Jaw	59.06
	7C-4	Main Vise Nut	9.20
	10C-21	Main Screw	24.42
	7R-20	Screwhead & Rivet	9.20
	7R-22W	Wood Handle	4.20
	7R-22T	Tubular Steel Handle	9.20
	7CS-22	Adjustable Steel Hdle	32.30
	7R-12	Drag Bar	3.15
7RD	7RD-1	Front Jaw	70.62
V7RD	V7 <b>-</b> 1	Front Jaw	70.62
	7R-2	Back Jaw	39.51
	V7-2	Back Jaw	39.51
	7R <b>-</b> 4	Main Vise Nut	34.13
	7R <b>-</b> 21	Main Screw	18.38
	7R-20	Screwhead & Rivet	9.20
	7R-22W	Wood Handle	4.20
	7R-22T	Tubular Steel Handle	9.20
	7R <b>-1</b> 2	Drag Bar	3.15

VISE			
NO.	PART NO.	PART NAME	LIST
	7RD	Dog, Pin & Spring	\$1.65
	7R <b>-</b> 24	Screw Head Washer	3.15
10RD	10RD-1	Front Jaw	83.22
	10R-2	Back Jaw	59.21
	7R <b>-</b> 4	Main Vise Nut	34.13
	10R-21	Main Screw	24.42
	7R <b>-</b> 20	Screwhead & Rivet	9.20
	7R-22W	Wood Handle	4.20
	7R-22T	Tubular Steel Handle	9.20
	7R-12	Drag Bar	3.15
1R-9R	9B <b>-4</b>	Main Vise Nut	9.20
	9B <b>-1</b> 9	Nut Cap & Screws	2.85
	3C-4R	Conversion Nut	9.20
		(Rapid to Solid)	
6CD M2	6CD-1	Front Jaw	36.23
	6CD-2	Back Jaw	20.75
	6CD M2-23	Screw & Handle	11.30
6CM2	6C M2-1	Front Jaw	19.43
	6C M2-2	Back Jaw	11.03
	6C-4A	Main Vise Nut	6.05
	6C M2-23	Screw & Handle	11.30
160M2	35	Lower Jaw	9.20
	34	Upper Jaw	9.20
	33	Upper Jaw Clamp	5.52
	32	Hook	4.73
	31	Frame	15.75
	30	Base	23.90
	23	Screw & Handle	18.38
161M2	35	Lower Jaw	9.20
	34	Upper Jaw	9.20
	33	Upper Jaw Clamp	7.10
	32	Hook	5.78
	31	Frame	19,17
	30	Base	29.15
	23	Screw & Handle	22.05
162M2	35	Lower Jaw	13.65
	34	Upper Jaw	13.65
	33	Upper Jaw Clamp	8.15
	32	Hook	8,15
	31	Frame	28.35
	30	Base	42.53
	23	Screw & Handle	34,40
163M2	35	Lower Jaw	20.48
	34	Upper Jaw	20.48
	33	Upper Jaw Clamp	9.98
	32	Hook	9.98
	31	Frame	40.43
	30	Base	63.27
	23	Screw & Handle	46.47
164M2	35	Lower Jaw	27.83
	34	Upper Jaw	27.83
	33	Upper Jaw Clamp	26.55
	32	Hook	19.70
	31	Frame	78.75
	30	Base	123.10
	23	Screw & Handle	91.10

## CINCINNATI TOOL DIVISION

## WARREN TOOL CORPORATION

D7	1 L	РС	٦.
	71	`⊥	

	PART		
SIZE	NO.	DESCRIPTION	LIST
0-40 3/4"		Screw	\$4.13
1-40 14"		Screw	4.32
1 - 40 1 3/4"		Screw	5.78
2-40 2½"		Screw	19.67
3-40 31/4"		Screw	30.96
$4-40 \ 4\frac{1}{2}$ "		Screw	33.50
5-40 5½"		Screw	39.17
6-40 6½"		Screw	52.67
			58.52
8-40 8½"		Screw	
10-40 10½"		Screw	68.78
12-40 12½"		Screw	87.18
41 3"	D	Screw & Handle	11.00
41 3"	В	Tip #6	.72
41 4"	D	Screw & Handle	12.57
41 4"	В	Tip #7	1.02
41 6"	D	Screw & Handle	23.37
41 6"	В	Tip #11	1.13
42 4"	D	Screw & Handle	10.01
42 4"	В	Tip #107	1.55
42 6"	D	Screw & Handle	10.01
42 6"	В	Tip #107	1.55
42 8"	D	Screw & Handle	10.01
			1.55
42 8"	В	Tip #107	12.57
42 12"	D	Screw & Handle	
42 12"	<u>B</u>	Tip #107	1.55
43 4"	D	Screw & Handle	23.04
43 4"	В	Tip #107	1.55
43 6"	D	Screw & Handle	37.46
43 6"	В	Tip #107	1.55
43 8"	D	Screw & Handle	37.46
43 8"	В	Tip #107	1.55
43 12"	D	Screw & Handle	51.98
43 12"	В	Tip #107	1.55
44 1"	D	Screw & Handle	2.25
44 1"	В	Tip #9	•60
44 1½"	D	Screw & Handle	2.31
44 1½"	В	Tip #9	.60
44 2"	D	Screw & Handle	2.37
44 2"		Tip #6	.72
44 3"	В		2.45
	D	Screw & Handle	
44 3"	B	Tip #6	.72
44 4"	D	Screw & Handle	3.27
44 4"	В	Tip #7	1.02
44 6"	D	Screw & Handle	3.86
44 6"	В	Tip #11	1.13
44 8"	D	Screw & Handle	6.90
44 8"	В	Tip #57	1.32
44 10"	D	Screw & Handle	10.78
44 10"	В	Tip #107	1.55
44 12"	D	Screw & Handle	11.06
44 12"	В	Tip #107	1.55
45 3"	D	Screw & Handle	11.00
45 3"	В	Tip #7	1.02
45 4"	D	Screw & Handle	12.57
45 4"	В	Tip #11	1.13

	PART		
SIZE	NO.	DESCRIPTION	LIST
40.6 7.0	_	G 6 Man 31 a	¢4 E0
48 6 X 8 48 6 X 8	D B	Screw & Handle Tip #57	\$4.59 1.32
48 8 X 12	D	Screw & Handle	6.54
48 8 X 12	В	Tip #57	1.32
48 12 X 16	D	Screw & Handle	9.21
48 12 X 16	В	Tip #107	1.55
50 <b>1"</b>	D	Screw & Handle	•56
50 <b>1"</b>	В	Tip	.33
51 1"	D	Screw & Handle	•56
51 1"	В	Tip	33
52 1 <sup>1</sup> / <sub>4</sub> "	D	Screw & Handle	.60
52 1 <sup>1</sup> / <sub>4</sub> "	В	Tip	.33
53 1½"	D	Screw & Handle	•69
53 1½"	B	Tip	.33
54 2"	D	Screw & Handle	.72
54 2"	В	Tip	.47
55 3"	D	Screw & Handle	.93
55 3" 56 2½"	<u>B</u>	Tip	.47 1.10
56 2½"	D B	Screw & Handle Tip	.47
400 2"	D D	Screw & Handle	3.63
400 2"	В	Tip #6	.72
400 2"	D	Screw & Handle	3.96
400 3"	В	Tip #6	.72
400 4"	D	Screw & Handle	5.45
400 4"	В	Tip #7	1.02
400 6"	D	Screw & Handle	7.13
400 6"	В	Tip #11	1.13
400 8"	D	Screw & Handle	8.12
400 8"	В	Tip #107	1.55
400 10"	D	Screw & Handle	<b>11.7</b> 5
400 10"	В	Tip #107	1.55
400 12"	D	Screw & Handle	12.27
400 12"	B	Tip #107	1.55
450 Bar Clamp	A	Frame with Rivet	8.52
450	В	Tip with Set Screw	10.46 16.44
450	С	Slide Complete Screw & Handle	11.49
450 450	D E	Crank with Handle	5.45
450	F	Wood Handle	1.29
450	G	Dog (Trigger) with Rivet	5.64
150	G	(Without Spring)	
450	Н	Spring for Dog	•27
450	I	A) Rivet Only	.27
450	J	End Rivet	.27
450		Dog Rivet	.27
458 Bar Clamp	A	Frame with Rivet	7.23
458	В	Tip with Set Screw	3.80
458	С	Slide Complete	8.81
458	D	Screw & Handle	5.45
458	E	Crank with Handle	8.81
458	G	Dog (Trigger) with Rivet	1.38
450	**	(Without Spring)	27
458	<u>н</u>	Spring for Dog	•27 •27
458 450	J	A) Rivet Only End Rivet	.27
458	K		10.56
407		Blade Holder & Blade	2.94
407 411		Washer Cutter Blades Only Washer Cutter Blades Only	2.94
411		Blade Holder & Blade	10.56
		Didde Heider a Didde	

	PART		
SIZE	NO.	DESCRIPTION	LIST
506 000 101 01000	7	Erama Complete	\$17.66
506 Quick Clmp 506	A B	Frame Complete Tip Only #5	1.29
506	D	Screw & Handle	6.33
506	E	Clutch Inserts (2)	1.02
506	F	Spring for Clutch	.30
506	G	Foot Frame Complete	5.58 28.71
508 508	A B	Tip #57	1.29
508	D	Screw & Handle	6.33
508	E	Clutch Inserts (2)	7.13
508	F	Spring for Clutch (2)	.80
508	G	Foot	11.88
540 2½" 540 2½"	D D	Screw & Handle Tip #6	.72
540 23"	B D	Screw & Handle	2.04
540 3"	В	Tip #6	•72
540 4"	D	Screw & Handle	2.37
540 4"	В	Tip #7	1.02
5 <b>4</b> 0 5"	D	Screw & Handle	2.91
540 5"	В	Tip #11	1.12
540 6"	D	Screw & Handle	3.24 1.12
540 6" 540 8"	B D	Tip #11 Screw & Handle	5.71
540 8"	В	Tip #57	1.32
540 <b>1</b> 0"	D	Screw & Handle	8.68
540 10"	В	Tip #107	1.54
540 12"	D	Screw & Handle	8.94
540 12"	<u>B</u>	Tip #107	1.54
540 <b>14"</b> 540 <b>14"</b>	D D	Screw & Handle Tip #107	1.54
551 4"	B D	Screw & Handle	2.58
551 4"	В	Tip #6	.72
552 6"	D	Screw & Handle	3.07
552 6"	В	Tip #6	.72
556 2½"	D	Screw & Handle	1.02
556 2½"	В	Tip #6	.36 .69
566 1½" 566 1½"	D B	Screw & Handle Tip	.27
566 1½"		Plastic Cap Only	•28
566N 1½"	D	Screw & Handle	.52
566N 1½"	В	Tip	.36
568 2½"	D	Screw & Handle	1.38
568 2½"	В	Tip	.30
568 2½"	D	Plastic Cap Only Screw & Handle	.30 1.18
568N 2½" 568N 2½"	D B	Tip	.46
573 3½"	D D	Screw & Handle	3.69
573 3½"	В	Tip #7	1.02
573 4½"	D	Screw & Handle	3.79
573 4½"	В	Tip #11	1.12
573 6½"	D	Screw & Handle	4.59
573 6½"	B	Tip #11	1.12 3.99
600 Clmp Fix.	A B	Frame Tip with Pin	3.99
600	C	Slide Complete	8.58
600	D	Screw & Handle	4.16
600	E	Handle Only	2.28
600	F	Cam only with Rivet	1.49
600	G	Spring for Cam	.27
600	Н	Rivet	•53

	PART		
SIZE	NO.	DESCRIPTION	LIST
620 Clmp Fix.	Α	Frame	\$3.41
620 CIMP 1111 620	В	Tip with Set Screw	3.47
620	C	Slide Complete	7.62
620	D	Screw & Handle	2.37
620	F	Cam with Rivet	1.19
620	G	Spring for Cam	.27
620	H	Rivet for Cam	.47
640 Bar Clamp	A	Frame with Rivet	4.56
640	В	Tip with Set Screw	5.25
640	C	Slide Complete	10.59
	D	Screw & Handle	8.22
640	E	Crank with Handle	4.35
640		Wood Handle	1.29
640	F	Dog (Trigger) with Rivet	1.59
640	G	Spring for Dog	.27
640	H	A) Rivet Only	.27
640	J	End Rivet	.27
640	K		19.08
750 Bar Clamp	A	Frame with Rivet	33.06
<b>7</b> 50	В	Tip with Set Screw	52.08
<b>7</b> 50	C	Slide Complete	52.00
		(Includes Pin & Chain)	24 00
750	D	Screw & Handle	24.09
750	J	A) Rivet Only	1.38
750	K	End Rivet	1.49
706 Hand Screw	A	Wood Jaw	3.99
706	В	Upper or Middle Screw	1.98
706	C	Lower or Outer Screw	1.98
706	D	Nut, right hand thread	1.19
706	E	Nut, left hand thread	1.19
706	F	Handle	1.16
708 Hand Screw	A	Wood Jaw	4.95
708	В	Upper or Middle Screw	2.28
708	C	Lower or Outer Screw	2.25
708	D	Nut, right hand thread	1.19
708	E	Nut, left hand thread	1.19
708	F	Handle	1.49
710 Hand Screw	A	Wood Jaw	6.14
710	В	Upper or Middle Screw	2.48
710	С	Lower or Outer Screw	2.48
710	D	Nut, right hand thread	1.22
710	E	Nut, left hand thread	1.22
710	F	Handle	1.49
712 Hand Screw	A	Wood Jaw	7.82
712	В	Upper or Middle Screw	3.47
712	C	Lower or Outer Screw	3.41
712	D	Nut, right hand thread	1.49
712	E	Nut, left hand thread	1.49
712	F	Handle	1.49
714 Hand Screw	A	Wood Jaw	10.59
714 Hand Screw 714	В	Upper or Middle Screw	3.86
714	C	Lower or Outer Screw	3.77
714	D	Nut, right hand thread	1.59
714	E	Nut, left hand thread	1.59
714	F	Handle	1.49
716 Hand Screw		Wood Jaw	15.84
716 Hand Screw	A	Upper or Middle Screw	5.55
	В	Lower or Outer Screw	5.25
716	C		1.98
716	D	Nut, right hand thread	
		Nut loft hand throad	1 00
716	E	Nut, left hand thread Handle	1.98 1.88

